Proceedings of the Institution of Mechanical Engineers
Volume 199, 1985

The letter preceding each page number refers to the relevant Part of the Proceedings as follows:

Part A Power and Process Engineering
Part B Management and Engineering Manufacture
Part C Mechanical Engineering Science
Part D Transport Engineering

Author Index

Abdul, N A Process analysis of a starter clutch sleeve extrusion B219
Ackroyd, J *Thrust 2* — design of the World Land Speed Record car D239
Adams, R D An assessment of the impact performance of bonded joints for use in high energy absorbing structures C121
Akselsson, H Life cycle costing in the Swedish railways D89
Alexander, G I Efficiency of the manifolds of turbocharged engines D137
Anastasiou, R B On the performance of pressurized fluidized bed combined cycles for power generation A45
Arnell, R D The rolling resistance of surfaces covered by soft metal films C51
Awoseyin, R S Pressure–temperature relationships in buried pipelines A69, *(discussion)* A293

Babus'Haq, R F Steady state heat losses from horizontal pipes in an air-filled rectangular concrete duct C203
Bacon, D G C Crash restraint of children by adult seat belts and booster cushions D49
Baker, J W Complexities inherent in the launching of a capital intensive multi-disciplined project B129
Baker, V P Design and manufacture of a new telephone transmitter/receiver capsule B189
Bakhtar, F On the self diffusion of water vapour C159
Bardon, M F Convective heat transfer in reciprocating engines D221
Barnes, N Operational performance of waste-to-energy plants A117
Barraclough, D R Methods of taking samples from engineering components for mechanical testing — particularly remanent life assessment B121
Barrow, G Calculation of optimum cutting conditions for turning operations B81
Berchowitz, D M Linear dynamics of free-piston Stirling engines A203
Berger, H L Special problems of rotor dynamics in the design of superconducting generators with multi-shell rotors B255
Bergmann, M Investigations concerning tyre/road noise sources and possibilities of noise reduction D199
Berry, I J G Thermodynamic availability and its application to combined heat and power plant *(discussion)* C343
Bidhendi, I M Computer prediction of cyclic excitation sources for an external gear pump B175
Bingham, J F An improved branched pipe model for multi-cylinder automotive engine calculations D65
Bird, G L The Ford 2.5 litre direct injection naturally aspirated diesel engine D113
Birss, I R UKAEA and CEGB development programmes A123
Blachut, J Torispherical shells under internal pressure — failure due to asymmetric plastic buckling or axisymmetric yielding C225
Blackwell, Sir Basil Mechanical engineering aspects of helicopter design D29
Blair, G P An improved branched pipe model for multi-cylinder automotive engine calculations D65
Boam, D J Factors influencing combustion chamber wall temperatures in a liquid-cooled, automotive, spark-ignition engine D207
Boocock, C P Life extending Scottish Region electric multiple units D41
Bowns, D E The development of an automatic procedure for the digital simulation of hydraulic systems B51
Braun, E R A new concept of truck transmission D275
Brennan, L The planning of manufacturing change in a period of contraction B101
Brown, A P Prediction of the load–speed ratings of ball bearings with thermoplastic raceways C339
Burke, T Surviving the social implications B47
Burns, N D An evaluation of spline functions for use in cam design C239
Butler, A J The dynamic stability of mobile cranes D283

Cannell, R L The updating of engineers — improved profitability or just more courses? B169
Carvalho, M D G M D S Mathematical simulation of an end-port regenerative glass furnace C113
Cawley, P Non-destructive testing of mass produced components by natural frequency measurements B161
Chambers, W Design and manufacture of a new telephone transmitter/receiver capsule B189
Chetwynd, D G Applications of linear programming to engineering metrology B93
Chivers, T C Fretting fatigue and contact conditions: a rational explanation of palliative behaviour C325
Cho, H S A theoretical model for the dynamic resistance in resistance spot welds B71
Cho, Y J A theoretical model for the dynamic resistance in resistance spot welds B71
Collings, N Knock detection alternatives for production vehicles D301
Cox, B Some practicalities and pitfalls of quality-related cost collection *(discussion)* B280
Cox, S J The dynamic response of railway track with unsupported sleepers D123

Dale, B G Some practicalities and pitfalls of quality-related cost collection B29, *(discussion)* B279
Daley, S A justification for the wider use of fuzzy logic control algorithms C43
Dartnell, Lawrence The thermal-hydraulic design of main feed water pump suction systems for large thermal power plant A215

© IMechE 1985

Davies, B J The planning of manufacturing change in a period of contraction B101
de Freitas, F J A study of pressure fluctuations in the suction lines of positive displacement pumps B211
Dogan, M The performance of a sealed squeeze-film bearing in a flexible support structure C1
Dowson, D An analysis of the circumferentially grooved journal bearing with consideration of lubricant film reformation C27
The prediction of liquid film journal bearing performance with a consideration of lubricant film reformation
Part 1: theoretical results C95
Part 2: experimental results C103

Eastwood, P G Laser tools for diesel engine diagnosis D295
Eden, J F The dynamic stability of mobile cranes D283
Edge, K A A study of pressure fluctuations in the suction lines of positive displacement pumps B211
Elderton, J Naval engineering achievements in the liberation of the Falklands *(discussion)* D78
Elewa, F A The effect of suction on the stability of fluid between horizontal plates at differing temperatures C145
Elgammal, A H An experimental investigation of the performance of equiangular annular diffusers with swirled flow C293
Elkersh, A M An experimental investigation of the performance of equiangular annular diffusers with swirled flow C293
El Shafei, T E S The rolling resistance of surfaces covered by soft metal films C51
Evans, E M Measurement of the aerodynamic and rolling resistances of road tanker vehicles from coast-down tests *(discussion)* D237
Evans, R L On the performance of pressurized fluidized bed combined cycles for power generation A45

Farlam, M The Milton Keynes alternative — a case study of manufacturing effectiveness B205
Finlay, I C Factors influencing combustion chamber wall temperatures in a liquid-cooled, automotive, spark-ignition engine D207
Ford, J A H Operation of diesel engines on residual fuel oil A177
Foster, K Applications of a computer model in the design and development of a quiet vane pump B247
Computer prediction of cyclic excitation sources for an external gear pump B175
Francis, D T I An integral equation method for predicting acoustic emission within enclosures C133
Fuller, J A The history of safety valves leading to the development of British Standards for safety valves A107

Galletly, G D Interactive buckling tests on cylindrical shells subjected to axial compression and external pressure — a comparison of experiment, theory and various codes C259
Torispherical shells under internal pressure — failure due to asymmetric plastic buckling or axisymmetric yielding C225
Garry, K P A review of commercial vehicle aerodynamic drag reduction techniques D215
Gay, M Hollow axle developments by London Regional Transport and British Steel D265
Gethin, D T An investigation into plain journal bearing behaviour including thermo-elastic deformation of the bush C215
Gilbert, P Laser tools for diesel engine diagnosis D295
Gill, K F A justification for the wider use of fuzzy logic control algorithms C43
Identification of surface roughness C281

Glascott, J The influence of experimental variables on the development and maintenance of wear-protective oxides during sliding of high-temperature iron-base alloys C35
Glikin, P E Fuel injection in diesel engines D161
Gohar, R The vibrations of radial ball bearings C181
Gordelier, S C Fretting fatigue and contact conditions: a rational explanation of palliative behaviour C325
Grassie, S L The dynamic response of railway track with unsupported sleepers D123
Gregory, A R UKAEA and CEGB development programmes A123
Griffin, G D Mechanical engineering aspects of the Space Shuttle Orbiter — design, manufacture and operation D13
Grootenhuis, P A finite element analysis of the harmonic response of damped five-layer plates C311
Gupta, A K Modelling of spray-swirl interaction in direct injection diesel engine combustion chambers D187
Gupta, C P Nitric oxide formation in spark-ignition engines with in-cylinder charge non-homogeneity of a random nature D227

Hafter, G H We're getting there — too D317
Hager, K Streamline curvature effects in distribution channels C165
Hager, WH Streamline curvature effects in distribution channels C165
Hahn, E J An energy approach to linearizing squeeze-film damper forces. C57
Haines, R S Contact loss at revolute kinematic joints: a 'ludodynamic' theory tested C173
Halling, J The elastic contact of rough surfaces and its importance in the reduction of wear C139
The rolling resistance of surfaces covered by soft metal films C51
Halliwell, N A Laser tools for diesel engine diagnosis D295
Hamed, H A K Mechanical properties of woven fabrics B67
Hannam, R G Alternatives in the design of flexible manufacturing systems for prismatic parts B111
Computer aided design using a knowledge base approach and its application to the design of jigs and fixtures B227
Hardy, R N Simulations to assess the influence of car lateral impact characteristics on occupant kinematics D97
Harris, D Factors influencing combustion chamber wall temperatures in a liquid-cooled, automotive, spark-ignition engine D207
Harris, J A An assessment of the impact performance of bonded joints for use in high energy absorbing structures C121
Harrison, K Prediction of the load–speed ratings of ball bearings with thermoplastic raceways C339
Hartley, P A three-dimensional finite element analysis of the cold forging of a model aluminium connecting rod C319
Hassab, M A The effect of suction on the stability of fluid between horizontal plates at differing temperatures C145
Haywood, R W Thermodynamic availability and its application to combined heat and power plant C11, *(discussion)* C343, C344
Hilyard, N C Prediction of the load–speed ratings of ball bearings with thermoplastic raceways C339
Hinduja, S Calculation of optimum cutting conditions for turning operations B81

© IMechE 1985

Hoey, J A methodology for incorporating the 'company-wide' benefits of material requirements planning within a discounted cash flow investment analysis B235
The application of investment appraisal to aid the evaluation and implementation of material requirements planning systems B241
Holmes, R The performance of a sealed squeeze-film bearing in a flexible support structure C1
Homer, P The dynamic stability of mobile cranes D283
Horlick, Vice Admiral Sir Ted Naval engineering achievements in the liberation of the Falklands *(discussion)* D78
Horlock, J H Thermodynamic availability and its application to combined heat and power plant C11, *(discussion)* D78
Huguet, M Fusion power and the JET project — a general presentation A255
Hull, S R The development of an automatic procedure for the digital simulation of hydraulic systems B51

Imhoff, G Measurement of the aerodynamic and rolling resistances of road tanker vehicles from coast-down tests *(discussion)* D237
Ioannides, E A finite element analysis of the harmonic response of damped five-layer plates C311

Jennewein, M Investigations concerning tyre/road noise sources and possibilities of noise reduction D199

Kidd, P T Linear modelling of ship propulsion plants A53
Kim, Y D Determination of the optimal balancing head location on flexible rotors using a structural dynamics modification algorithm C19
Kohler, H The derivation of gear transmission error from pitch error records C195
Kulig, T S Special problems of rotor dynamics in the design of superconducting generators with multi-shell rotors B255
Kwak, B M A design method for reducing the effects of clearances at revolute joints C153

Laurenson, I T The design of self-centring seal-less hydraulic pistons B59
Lawton, H Decommissioning Windscale advanced gas-cooled reactor A129
Lee, C W Determination of the optimal balancing head location on flexible rotors using a structural dynamics modification algorithm C19
LeFevre, E J Pressure–temperature relationships in buried pipelines *(discussion)* A293
Leonard, R A methodology for incorporating the 'company-wide' benefits of material requirements planning within a discounted cash flow investment analysis B235
Evaluating the 'intangible' benefits of flexible manufacturing systems by use of discounted cash flow algorithms within a comprehensive computer program B23
The application of investment appraisal to aid the evlauation and implementation of material requirements planning systems B241
The use of a conceptual model to evaluate financially flexible manufacturing system projects B15
Leverant, G R Low-pressure steam turbine disc cracking — an update A59
Lewis, A Robotics: market growth, application trends and investment analysis B35
Leyshon, D Ambulance stretcher suspensions D151
Lockwood, F C Mathematical simulation of an end-port regenerative glass furnace C113
Lowe, W Operation of diesel engines on residual fuel oil A177
Lowe, W T Manufacturing effectiveness in the design of a new truck cab shell B197
Lyle, F F Jr Low-pressure steam turbine disc cracking — an update A59

Ma, T Knock detection alternatives for production vehicles D301
Maccallum, N R L An experimental investigation of the performance of equiangular annular diffusers with swirled flow C293
MacCarthy, B L An evaluation of spline functions for use in cam design C239
McCormick, K Prestige versus practicality — a dilemma for the engineering profession B139
Macdonald, R M Drawing up the purchasing specification B41
McFadden, P D A signal processing technique for detecting local defects in a gear from the signal average of the vibration C287
An explanation for the asymmetry of the modulation sidebands about the tooth meshing frequency in epicyclic gear vibration C65
McMinn, A Low-pressure steam turbine disc cracking — an update A59
Main, B G Explosion hazards in offshore motion compensators A229
Mehta, P S Modelling of spray-swirl interaction in direct injection diesel engine combustion chambers D187
Millers, A S Computer aided design using a knowledge base approach and its application to the design of jigs and fixtures B227
Miranda, A A S The prediction of liquid film journal bearing performance with a consideration of lubricant film reformation
Part 1: theoretical results C95
Part 2: experimental results C103
Moffat, D G Experimental stress analysis of four fabricated equal diameter branch pipe intersections subjected to moment loadings and the implications on branch junction design A261
Monk, J F The manufacture of a new generation of headlamp reflectors B181
Morgan, L S The manufacture of a new generation of headlamp reflectors B181
Morrison, S J Quality management B153
Some practicalities and pitfalls of quality-related cost collection *(discussion)* B279
Morton, P G Modal balancing of flexible shafts without trial weights C71
Mulvaney, D J Identification of surface roughness C281
Munro, N Linear modelling of ship propulsion plants A53

Nagarajan, R Front end control schemes for pneumatic servo-driven modules B271
Nagpal, B K Robotics: market growth, application trends and investment analysis B35
Nau, B S Rotary mechanical seals in process duties: an assessment of the state of the art A17
Newland, D E Identification of surface roughness C281
Nuri, K A The elastic contact of rough surfaces and its importance in the reduction of wear C139

Osborne, A G Diesel engine research at high b.m.e.p. A285

© IMechE 1985

Palsson, L Life cycle costing in the Swedish railways D89
Parker, D A Ceramics technology — application to engine components A135
Parks, B I Factors influencing combustion chamber wall temperatures in a liquid-cooled, automotive, spark-ignition engine D207
Patten, T The first twenty years of oil and gas development offshore UK — an engineer reflects A151
Pemsing, K Interactive buckling tests on cylindrical shells subjected to axial compression and external pressure — a comparison of experiment, theory and various codes C259
Penny, J E T Applications of a computer model in the design and development of a quiet vane pump B247
Perrins, A C The importance of the engineering role in the economic survival of a primary zinc smelter A95
Person, M The equations of motion of *N*-bladed propellers with arbitrarily positioned hinges and their application to an experimental one-bladed wind turbine A237
Petty, D J Calculation of optimum cutting conditions for turning operations B81
Pillinger, I A three-dimensional finite element analysis of the cold forging of a model aluminium connecting rod C319
Pitt, D H A new concept of truck transmission D275
Plunkett, J J Some practicalities and pitfalls of quality-related cost collection B29, *(discussion)* B279
Power, S R D Engineering change D1
Primrose, P L A methodology for incorporating the 'company-wide' benefits of material requirements planning within a discounted cash flow investment analysis B235
Evaluating the 'intangible' benefits of flexible manufacturing systems by use of discounted cash flow algorithms within a comprehensive computer program B23
The application of investment appraisal to aid the evaluation and implementation of material requirements planning systems B241
The use of a conceptual model to evaluate financially flexible manufacturing system projects B15
Probert, S D Steady state heat losses from horizontal pipes in an air-filled rectangular concrete duct C203
Pundir, B P Nitric oxide formation in spark-ignition engines with in-cylinder charge non-homogeneity of a random nature D227

Rahnejat, H The vibrations of radial ball bearings C181
Rao, V K Convective heat transfer in reciprocating engines D221
Reason, B R A refined numerical solution for the hydrodynamic lubrication of finite porous journal bearings C85
Redlich, R W Linear dynamics of free-piston Stirling engines A203
Regan, R The derivation of gear transmission error from pitch error records C195
Richardson, F J Computer aided engineering in design B145
Ridley, T M The London Underground — what next? D105
Rizk, W Closing the loop A1
Rogers, V A B Mechanical engineering aspects of helicopter design D29
Rosgren, C-E Diesel engine design aspects for heavy fuel operation A245
Rowe, G W A three-dimensional finite element analysis of the cold forging of a model aluminium connecting rod C319
Ruddy, A V An analysis of the circumferentially grooved journal bearing with consideration of lubricant film reformation C27

Sadek, K S H Mechanical properties of woven fabrics B67
Sadek, M M An integral equation method for predicting acoustic emission within enclosures C133
Sayers, A T Blade configuration optimization and performance characteristics of a simple Savonius rotor A185
Seet, G G L Applications of computer model in the design and development of a quiet vane pump B247
Sharp, R S An analysis of the circumferentially grooved journal bearing with consideration of lubricant film reformation C27
Shaw, F '1984' . . . better or worse? B1
Shilston, M J Steady state heat losses from horizontal pipes in an air-filled rectangular concrete duct C203
Shin, J K A design method for reducing the effects of clearances at revolute joints C153
Siew, A H A refined numerical solution for the hydrodynamic lubrication of finite porous journal bearings C85
Smith, J D A signal processing technique for detecting local defects in a gear from the signal average of the vibration C287
An explanation for the asymmetry of the modulation sidebands about the tooth meshing frequency in epicyclic gear vibration C65
Sorour, M M The effect of suction on the stability of fluid between horizontal plates at differing temperatures C145
Sproston, J L A note on parameter estimation in non-linear vibrating systems C79
Stammers, C W Ambulance stretcher suspensions D151
Stanway, R A note on parameter estimation in non-linear vibrating systems C79
Stark, J Renewable heat and electricity concept for industrial applications in the UK A193
Stott, F H The influence of experimental variables on the development and maintenance of wear-protective oxides during sliding of high-temperature iron-base alloys C35
Stout, K J The effect of manufacturing variations on the performance of externally pressurized gas-lubricated journal bearings C299
Sturgess, C E N A three-dimensional finite element analysis of the cold forging of a model aluminium connecting rod C319
Suthurst, G D Simulations to assess the influence of car lateral impact characteristics on occupant kinematics D97

Taylor, C M An analysis of the circumferentially grooved journal bearing with consideration of lubricant film reformation C27
Taylor, F Design and manufacture of a new telephone transmitter/receiver capsule B189
Taylor, R Computer prediction of cyclic excitation sources for an external gear pump B175
Tester, M Calculation of optimum cutting conditions for turning operations B81
Tester, N W Design and manufacture of a new telephone transmitter/receiver capsule B189
Thabit, S S Renewable heat and electricity concept for industrial applications in the UK A193

© IMechE 1985

Thiruarooran, C Linear modelling of ship propulsion plants A53
Thompson, R V Marine technology — present and future A73
Tunna, J M Random load fatigue: theory and experiment C249

Wååk, O Life cycle costing in the Swedish railways D89
Wadsworth, E The design and development of a very large mobile crane D79
Ware, D K Hollow axle developments by London Regional Transport and British Steel D265
Watts, P L Robotics: market growth, application trends and investment analysis B35
Weir, C D An analytical approach to the estimation of the performance of steam turbine cycles off-design A33, *(corrigenda)* A134
Weston, R H Front end control schemes for pneumatic servo-driven modules B271
Whitehouse, D J Assessment of surface finish profiles produced by multi-process manufacture B263
Wilkinson, D T Electric braking performance of multiple-unit trains D309
Winterbone, D E Efficiency of the manifolds of turbocharged engines D137
Linear modelling of ship propulsion plants A53
Wood, G C The influence of experimental variables on the development and maintenance of wear-protective oxides during sliding of high temperature iron-base alloys C35
Wrigley, B Chopper controlled electrical multiple units for Seoul subway D175

Zemroch, P J Measurement of the aerodynamic and rolling resistances of road tanker vehicles from coast-down tests *(discussion)* D237
Zidi, K On the self diffusion of water vapour C159
Zvonow, V A Nitric oxide formation in spark-ignition engines with in-cylinder charge non-homogeneity of a random nature D277

© IMechE 1985

Subject Index

Accidents, car occupant injuries in side impact D97
Accoustic emission
  of vibrating body C133
  within enclosures C133
Actuators
  hydraulic linear B59
  Orbiter D17
Adhesive bonding
  high energy absorbing structures C121
  impact performance C121
Adhesives, epoxy, impact tests on C122
Advanced Passenger Train (APT) D7
Aerodynamic drag and fuel consumption D215
Aerodynamic drag reduction techniques D215
Agreement, forms of B133
Air-heater combined cycles A45
Air-heater cycle A49
Alumina fibres A146
Alumina reinforced Lo-Ex A147
Aluminium connecting rods C319
Aluminium cylinder heads D208
Ambulance stretcher suspensions D151
Argyll oil field A159, A176
Auto-ignition temperatures A230
  contamination effects A232
  pressure tests A230
  proportion effect A233
  rust effects A232
  theoretical prediction of A231
Auto-ignition test method A234
Automatic cab signalling (ATC) system D178
Automatic train protection (ATP) system D178
Avonmouth zinc smelter A95
Axles (hollow)
  case for D266
  design and manufacture D267
  design proposals D266
  examples of use D265
  failure examination D269
  fatigue testing D269, D273
  friction weld at centre D269
  friction-welded stub ends D268
  future applications D274
  LRS developments D265
  LRT programme D267
  press-fit stub ends D269
  service experience D273
  ultrasonic testing D273

Balancing of flexible shafts C71
Balancing head location on flexible rotors C19
Bearings
  ball, load–speed ratings C339
  ball, thermoplastic raceways C339
  circumferentially grooved journal C27
  cylinder bore C215
  externally pressurized gas-lubricated journal C299
  finite porous journal C85
  heavy fuel operation A251
  liquid film journal performance prediction C95, C103
  ludodynamic journal C173
  orifice compensated and slot compensated hybrid journal C307
  piston rod B64
  plain journal, bush deformation C215
  residual fuel oil operation A180
  sealed squeeze-film C1
  vector representation of forces on B180
  vibration of radial ball C181
Beatrice oil field A168
Blast furnace A99
Blast furnace air blower A102
Blowers, centrifugal A102
B.m.e.p. and diesel engine performance A285
Boiler feed pump suction systems A215
  design practice A217
  operating conditions A218
  operational circumstances A221
  past, present and future implications A225
  pipework route A220
  pipework size A219
  pressure loss phenomenon A215
  recommendations A225
  tank pressure decay A217
Bonded joints, impact performance of C121
Booster cushions, child restraints D49
Box car, life cycle cost D93
Brakes, *Thrust 2* D259
Braking
  electric, multiple units D182, D309
  regenerative, multiple-unit trains D312
  rheostatic, multiple-unit trains D311
  RICSV D83
Branched pipe model, engine calculations D65
British Rail D2
  Doncaster Works D8
  Inter-City services D7
  London Midland Region D3, D6
  organization changes D9
  past, present and future activities D1
  Scottish Region D41
  Western Region D4
British Standards, development for safety valves A107
British Standards Institution (BSI) A11
Buckling
  of cylindrical shells C259
  of torispherical shells C225
Budgetary control B134
Bush deformation, thermo-elastic C215

CADCAM systems
  jigs and fixtures B227
  software testing and development B233
Calspan CVS program D97
Cam design, spline functions in C239
Cam laws C243
Capital intensive multi-disciplined project launch B129
Car occupant injury, during side impact accidents D97
Carbon dioxide circulator rotor A6, A7
Career plan B8
Cash flow maximization B131
Cast iron cylinder heads D208
CEGB programme on demolition of concrete structures A126
Ceramics
  application to engine components A135
  design techniques A141
  engineering A140
  fibre reinforcement of metals A143
  general properties of A140
  manufacturing processes A144
  materials substitution A142
  reinforcing fibres A146
  Space Shuttle Orbiter D24
  wear characteristicis of C139
Chain drilling jig B125
Child restraints
  booster cushions D49
  seat belts D49
Clearances at revolute joints C153
Closing the loop, concept of A1
Clutch sleeve, extrusion process analysis B219
Coal availability A76
Coal dewatering system A90
Coal discharge system A89
Coal-fired power generation A45
Coal reserves A76
Coal slurry discharge and dewatering system A91
Combined heat and power plant (CHP) A193, C11
  basic equations C11
  lost work output due to irreversibility C15
  maximum net work output C15
  maximum net work output plus heat rejection C12
  questions arising in C11
  thermodynamic availability C11
Combustion chamber
  fuel spray-swirl interaction in D187
  glass furnace C114, C117
  re-entrant problem A143
Combustion chamber components, zirconia sprayed A143
Combustion chamber insulation, ceramic materials A141
Combustion chamber reinforcement, tripod approach A148
Combustion chamber temperature, heavy fuel operation A249

© IMechE 1985

Combustion chamber wall temperature measurement D207
Combustion technology, marine engineering A84
Commercial projects, criteria for B129
Commercial vehicles, aerodynamic drag reduction techniques D215
Communication, lateral B157
Communications problems B146
Communications satellites, fuzzy logic control C43
Composite materials
  performance evaluation A146
  theory of A146
Compression ratio, heavy fuel operation A248
Compressor/turbine shaft A13
Computer aided design B145
  jigs and fixtures B227
Computer aided engineering B145
Computer models, quiet vane pump design B247
Computer programs
  BOSOR 5, C230, C263, C267, C270, C271
  CRASH-D D97
  Calspan CVS D97
  FMS B16
  gear pump performance B175
  HASP B51
  JIGS B227
  life cycle cost D91
  STAGS C C263
Computer simulation, unsteady gas flow phenomena D65
Computerized production engineering B150
Concrete saws A126
Concrete structures, demolition of A126
Condition monitoring systems A90
Connecting rods
  aluminium C319
  Ford diesel engine D116
  heavy fuel operation A251
  residual fuel oil operation A180
Contact aspects of crack propagation C332
Contact conditions
  cylindrical C330
  spherical C327
Contact loss
  at revolute kinematic joints C173
  in clearance connections C153
Contract committal B134
Contract conditions B133
Convective heat transfer coefficient, formula for D221
Cooling systems
  Ford diesel engine D116
  influence of coolant composition D210
Cormorant oil field A176
Cormorant underwater production system A163
Cost collection, quality-related B29, B279
Coulomb damping in non-linear vibrating systems C79
Crack growth tests A63
Crack initiation tests A64
Crack propagation, contact aspects of C332
Cranes (mobile)
  centrifugal force D285
  design and development. *See* Rough terrain construction site vehicle
  dynamic stability D283
  overturning D283, D284
  stability quotients D286, D289, D291
  swinging loads D284
  test methods and equipment D288
  test programme D287
  test results and discussions D288
  wind action on D286
  working out of level D285
Crankshafts, Ford diesel engine D115
CRASH-D finite element program D97
Crash restraints. *See* Child restraints
Critical path method (CPM) B135
Crush testing of open-ended cylinders C129
Cylinder blocks, Ford diesel engine D115
Cylinder heads
  comparison of cast iron and aluminium D208
  Ford diesel engine D115
  influence on combustion chamber wall temperature D207
Cylinders, heavy fuel operation A246

Dampers
  centrally preloaded C60
  squeeze-film C57
  without centralizing spring C60
  see also Coulomb damping; viscous damping
Databases
  production B104
  resources B104
Deaerating/feed heating plant A217, A225
Deaerating/feed water tanks A215
Deaerating plant/storage tank A217, A218
Design acceptance B149
Design analysis B148
Design facilities B148
Design interface B145
Design procedure, interactive B229
Design process B145
Design specifications A10
Design standards A10
Design techniques B151
Detonation, detection alternatives D301
Detonation combustion, high b.m.e.p. A291
Deuterium, fusion reaction A255
Deisel engines
  closed cycle A84
  combustion bowl temperatures A144
  fuel injection equipment D161
  heavy fuel operation A245
  high b.m.e.p. performance A285
  high-speed direct injection D113, D187
  Leyland 698 T turbocharged D82
  marine industry's requirements A81
  marine propulsion A79
  Mirrlees K Major A177
  operation on residual fuel oil A177
  recycle A83
  time-resolved vibration velocity measurement D295
  turbocharged A285, D137
  two-stroke A3
Diesel multiple units (DMU) D7
Diffusers
  influence of geometrical parameters and swirl C293
  performance of equiangular C293
Diffusion, self diffusion of water vapour C159
Discounted cash flow (DCF) techniques B15, B23
  investment analysis B235
  MRP evaluation B241
Distribution channels
  flow in C165
  streamline curvature effects of C165
Dough moulding compounds B181
Drawing issue B149
Drilling offshore exploration and development A156
Drucker–Shield limit pressures C232
Dublin Area Rapid Transit D313, D314
Dynamic converters A84

Economics, Avonmouth zinc smelter A95
Education
  CAD B151
  continuing B172
  see also Updating of engineers practical tradition in British B139
  review of changes in B1
  see also Training
Elastic contact of rough surfaces C139
Elastohydrodynamic (EHD) behaviour A23
Electric multiple units (EMU) D7, D41
  business specification D42
  chopper controlled D175
  class 303 D42
  life extension D43
  refurbishing D45
  reliability D44
  workshop practices D47
Electricity, and wind energy A194
Energy, waste-derived A117
Energy absorption of bonded joints C121
Energy demand
  and renewables A193
  industrial A194
Energy propagation assessment D143
Energy sources and availability A73
Energy storage systems A83
Energy trends, primary A73
Engine components
  ceramics A135
  development of A136

© IMechE 1985

Engine manifold junctions, gas flow in D65
Engineering components, sampling for mechanical testing B121
Engineering profession, prestige versus practicality B139
Engineers, updating. *See* Updating of engineers
Equations of motion of *n*-bladed propellers with arbitrarily positioned hinges A237
Exhaust emissions
  and fuel injection equipment D170, D171, D172
  nitric oxide D227
Exhaust manifolds, efficiency in turbocharged engines D137
Explosion hazards, offshore motion compensators A229
Explosion initiators A234
Extrusion
  clutch sleeve process analysis B219
  process analysis B220

Falklands Campaign, naval engineering D78
Fatigue, fretting. *See* Fretting fatigue
Fatigue damage, acoustic A6
Fatigue design for random loads C249
Fatigue life prediction for random loads C249
Fatigue testing, hollow axles D269, D273
Filters
  high pass cut-off B263
  linear phase B265
  optimized linear phase B267
  2CR B263
Financial evaluation techniques B15
Finite element analysis
  harmonic response of damped five-layer plates C311
  three-dimensional elastic-plastic C319
Fitted curves B267
Five-layer plates, harmonic response C311
Flame cutting with powder assistance A123
Flexible manufacturing systems (FMS) B15
  additional sales and contribution B25
  capital expenditure B20
  computer program B16
  conceptual model B16
  design for prismatic parts B111
  development of B111
  direct labour B18
  discounted cash flow or payback B24
  indirect labour B19
  inflation B27
  intangible benefits of B23, B24
  manned or unmanned operation B117
  need for financial evaluation B23
  reduction in stocks B25
  revenue savings B27
  rework costs B20
  risk aspects B25
  scrap costs B19
  selection of hardware B112
  subcontract work B20
  system design and programming B17
  terminal values B26
  timing of cashflows B16
  utilization B20
  working life B26
Flow, in distribution channels C165
Flow behaviour in equiangular diffusers C293
Flue gas desulphurization (FGD) A45, A50
Fluid stability, effect of suction C145
Ford 2.5 litre diesel engine D113
  air management D117
  cold start D120
  component design D114
  connecting rods D116
  cooling system D116
  covers and sealing D116
  crankshaft D115
  cylinder block D115
  cylinder head D115
  engine noise D121
  exhaust port and manifold D118
  factorial analysis D113
  fuel control D119
  fuel injection equipment D118
  general arrangement D114
  inlet ports D113
  intake manifold D118
  intake port D117
  performance development D117
  pistons D116
  primary drive D115
  production line consistency D114
  programme and performance summary D121
  speed governing D120
  valve seat size D117
  valve train D115
Forgings, aluminium connecting rod C319
Forties oil field A153, A176
Fourier power spectral estimates of surface data C281
Fourier series analysis of pitch error graph C200
Fretting fatigue
  contact conditions C325
  palliative effects C325
Fuel availability, future A73
Fuel characterization programme A86
Fuel consumption
  aerodynamic and drag D215
  and fuel injection equipment D170
  high b.m.e.p. A289
  in marine technology A80
  trends in A86
Fuel control, Ford diesel engine D119
Fuel injection equipment D161
  and engine performance D168
  diesel engines D161
  electronic control of pumps D172, D173
  electronic control of unit injectors D173
  exhaust emissions D170, D171, D172
  Ford diesel engine D118
  fuel compressibility D168
  future trends D172
  heavy fuel operation A250
  history of D161
  nitrogen oxides emissions D171
  noise emission D170
  particulate emissions D172
  performance optimization D167
  present-day D165
  PT system D165
  requirements imposed on D172
  smoke emission D170
  specific fuel consumption D170
  task of D161
  unburnt hydrocarbons D172
Fuel quality effects A79
Fuel spray-swirl interaction in combustion chambers D187
Fuels
  alternative A76, A77
  diesel A80
  emulsified A84, A87
  heavy, diesel engine design A245
  residual A87, A177
  waste potential A117
Fusion power, principles of A255
Fusion reactions, principles of A255
Fuzzy logic control algorithms C43

Gas fields
  chronological record of A172
  remote control A159
  West Sole A153, A176
Gas flow in engine manifold junctions D65
Gas fuel utilization A78
Gas generators A9
Gas production, offshore A151, A163
Gas/steam turbine, combined cycle A14
Gas terminals, onshore A162
Gas turbine/compressor module A9
Gas turbines
  chimney stacks A9
  combined cycle system A13
  design and launch of A5
  development of A3
  EA2 twin jet A7, A8
  emergency units A7
  EM610 A13, A14
  for offshore platforms A10
  generators A158
  heavy duty industrial single-shaft A13
  jet-powered A12
  marine characteristics A82
  onward evolution of A13
  peak load generation A12
  peak lopping A7
  pipeline applications A9
  residual forces on A8
  two-shaft open cycle A3
  very rapid starting A7
Gear defects, signal processing technique C87
Gear noise C195
Gear pitch error C195
Gear pitch error graph C200

© IMechE 1985

Gear pumps. *See* Pumps
Gear transmission error derivation from pitch error C195
Gear vibration C195
Gearboxes
  epicyclic, asymmetry of modulation sidebands C65
  helicopter design D32
  helicopter testing D37
  local defect detection C287
Gears
  helical, transmission error C199
  spur, transmission error C199
Generators
  gas turbine A158
  superconducting
    modelling B255
    rotor dynamics B255
    rotor structure B255
Glass furnace, mathematical simulation C113
Graythorp 1 production platform A154
Great Southern Railway D1, D3

Harwell thermomechanical generator A209
HASP (hydraulic automatic simulation package) B53
Headlamp reflectors B181
  advanced designs B187
  comparison of metal and plastics B183
  dough moulding compound for B181
  lacquering B183
  manufacturing facilities B186
  market history B181
  market penetration B188
  materials manufacture B183
Heat balance
  passout cycle A34
  passout machines A35
Heat energy requirements A193
Heat loss, horizontal supply and return hot-water pipes C203
Heat transfer, in reciprocating engines D221
Helicopters
  engine design D31
  flight testing D36
  gearbox testing D37
  in-service engineering D38
  main gearbox D32
  mechanical design D30
  mechanical engineering design D29
  rotor system D33
Helmholtz integral equation C133
High Speed Train (HST) D5
Hinkley Point nuclear power station A6
Hong Kong Mass Transit Railway D324
Hottel–Whillier equation A196
Human engineering B207
Hutton oil field A166, A176
Hydraulic breaker, mechanical impact device A126
Hydraulic circuit loading conditions, effects of changes in B56
Hydraulic circuit simulation B55
Hydraulic lines, wave propagation in B211
Hydraulic pistons, design optimization of B59
Hydraulic systems
  digital simulation B51
  pressure ripples in B211
Hydrocarbon emissions, and fuel injection equipment D172
Hydrogen fuels A77

Impact performance of bonded joints C121
Innovation and major projects A12
Inspection maintenance and repair (IMR), offshore installations A164
Interviews
  recommendations for B6
  school leaver moving into industry B10
Investment analysis, discounted cash flow (DCF) B235
Investment appraisal, material requirements planning (MRP) B241
Investment modelling, robots B37
Invitation to tender B132
Ionization sensors, knock detection D301
Irish State Railways (CIE) D1, D2
Iron–chromium alloys
  sliding of C35
  wear-protective oxides C35
Irrigation machine, water wheel A1

JET (Joint European Torus) project A255
  assemble and operation A258
  experimental procedures A257
  future programme A259
  mechanical problems in A259
  objectives of A257
Jigs and fixtures
  automated drawing and refining B231
  computer aided design B227
Job satisfaction B158

Knock detection. *See* Detonation detection

Labour productivity B209
Laplace transformation B264
Laser Doppler velocimetry (LDV) D295
Laser instruments, diesel engine diagnosis D295
Laser vibrometer D296, D298
Lax–Wendroff techniques D137
Lead launder A104
Lead smelting furnace A97
Lead surface films during rolling contact C51
Leakage, containment in piston rod bearings B64
Leather surface finishing machine A1
Leyland Roadrunner truck, cab design B197
Leyland 698 T turbocharged diesel engine B82
Life cycle cost (LCC) as contractual requirement D89
Lifting units, RTCSV D84
Limacons
  minimum radius circumscribing B96
  minimum zone B97
Linear programming
  basic concepts in B95
  dual B95
  metrology applications B93
Liquefied natural gas (LNG) A76
Locomotive
  diesel D2, D3
  diesel–electric D4, D5, D9
  diesel–hydraulic D4, D5
  electric D1, D4, D8, D12
  gas turbine D1
  steam D1
Lo-Ex
  fibre reinforced A145, A147, A148
  squeeze cast A147
London Regional Transport D105
  hollow axle developments D265
London Transport D318
  Metropolitan Line D320
  Victoria Line D320
London Underground Limited D105, D318
  braking D110
  car structure D111
  fare collection D107
  future of D105
  passenger attractiveness D111
  rolling stock maintenance D107
  running gear D111
  station staff D107
  track and signalling D107
  traction control D110
  train staff D107
Lubricant film formation C27
Lubricant film reformation C95, C103
Lubricants
  cold-forming B219
  extrusion B219
Lubricating oil consumption A178
Lubrication
  elastohydrodynamic C182
  hydrodynamic, of finite porous journal bearings C85
  ludodynamic C173

Machine shop productivity B208
Machining, surface roughness estimates C281
Machining centres B207
Management training B13
Manifolds, efficiency in turbocharged engines D137
Manufacturing
  externally pressurized gas bearings C299
  role of production system in change B101
Manufacturing industry, social implications for B47
Manufacturing planning of change for contraction B101

© IMechE 1985

Manufacturing requirements planning (MRP) B149
Manufacturing resources planning (MRP2) B235
Manufacturing system, flexible. *See* Flexible manufacturing systems (FMS)
Marine power plant
  operating costs A81
  requirements A78
Marine technology
  current research A82
  future requirements A92
  present and future A73
  research programme A93
Marine transportation, fuel effects on A77
Mass produced components, non-destructive testing B161
Materials requirements planning (MRP) B107, B235
  investment appraisal B241
Measurement techniques B263
  alternative B265
  conventional B263
Mechanical testing, sampling of engineering components for B121
Megatower A12, A13
Method of characteristics D137, A138
Metrology
  computer-based B93
  linear programming applications B93
Milton Keynes alternative B205
Moment loading techniques A265
Motor Industry Research Association (MIRA) D49
Multiple-unit trains, electric braking D309
Multi-purpose surface texture B263

Natural frequency measurements B161
Natural gas, offshore loading A162
Natural gas fuels A76
Naval engineering, Falklands Campaign D78
Ninian oil field A158
Nitric oxide emissions, charge non-homogeneity effects D227
Nitrogen oxides, and fuel injection equipment D171
Noise characteristics
  air-borne B215
  fluid-borne B216
  pump inlets B212
Noise emission
  and fuel-injection equipment D170
  Ford diesel engine D121
Noise generating mechanisms D199
Noise measurement, tyres D199
Noise reduction, tyre/road D199
Noise sources, tyre/road D199
Noise tests, air-borne B216
Non-destructive testing B161
  cantilever beam B163
  mass produced components B161
  piston-shaped components B164
  pulley B165
Non-linear least-squares parameter estimation algorithm C79
Non-linear simulation model A53
North of Scotland Hydro-Electric Board (NSHEB) A177
Northern Ireland Railways (NIR) D2, D9
Nucleate boiling effects D209

Occupant kinematics. *See* Car occupant
Occupational prestige B141
OECD GNP growth rates A77
Offshore construction techniques A156
Offshore engineering, under-water A155
Offshore environment effects A162
Offshore exploration and development A156
Offshore gas and oil production A151, A163
Offshore installations, inspection maintenance and repair (IMR) A164
Offshore loading, natural gas A162
Offshore motion compensators, explosion hazards A229
Offshore platforms, gas turbines for A10
Offshore production
  future A167
  new technology A168
  research and development A168
Offshore structures
  cost escalation A163
  towing and installation A162
  see also Gas fields; oil fields; oil production
Oil consumption trends A73, A78
Oil discovery rates A74
Oil fields
  Argyll A159, A176
  Beatrice A168
  chronological record of A172
  Cormorant A163, A176
  development of A156
  distribution of A152
  economic base predictions A74
  Forties A153, A176
  Hutton A166, A176
  Ninian A158
  production data A174
Oil film thickness effects C182
Oil production, offshore A151, A163
Oil production equipment, topsides A157
Oil production trends A73
Oil reserves A74, A75
Oil terminals, onshore A162
Orbiter. *See* Space Shuttle Orbiter
Oxides, wear-protective C35

Particulate emissions and fuel injection equipment D172
Parts listing and costs B149
Parts master file (PMF) B149
Payload bay doors, Orbiter D17
Pipe intersections, stress analysis A261
Pipe junctions in multi-cylinder engine manifolds D65
Pipelines, buried, pressure–temperature relationships A69, A293
Pipes
  configuration in concrete duct C203
  heat loss behaviours C203
Piston ring groove wear A179
Pistons
  ceramic coatings A137
  conventional A136
  conventional reinforcement A148
  design optimization B61
  fibre reinforcement A147
  Ford diesel engine D116
  heavy fuel operation A251
  monolithic ceramic A138
  re-entrant bowl A147, A148
  self-centring seal-less hydraulic B59
  slot-controlled B60, B61, B62
  stepped B60, B61, B62
  tapered B60, B61, B62
Planning, manufacturing change for contraction B101
Plasticity index C139
Plotting routines B269
Pneumatic binary drives B271
Pneumatic servo drives, dynamic characteristics B271
Polytetrafluoroethylene (PTFE) seals D117
Power generation, subsea A83
Pressure groups
  and industry B47
  and social priorities B49
Pressure loss junctions D142
Pressure ripples in hydraulic systems B211
Pressurized fluidized bed combustions (PBFC) A45
  air-heater cycle A49
  combined cycle A46, A47, A49
  comparative cycle performance A50
  cycle performance A47
  intercooling, recuperation and feed-water heating A47
  steam-tube cycle A46
Prismatic parts, FMS B111
Productivity improvements B209
Professional engineers, social standing of B140
Professional institutions B139, B140, B141
Project control B134
Project estimates B131
Project evaluation B130
Project groups B158
Project launch complexities B129
Project programme B135
Propellers, *n*-bladed, with arbitrarily positioned hinges A237
Pulversied coal boiler (PCB) plant A50
Pump inlets, noise characteristics B212

© IMechE 1985

Pumps
axial piston B213
centrifugal A18
distributor D174
end-plate effects B249, B250
fuel injection D118, D162, D172, D173
gear, cyclic excitation sources B175
gear, tests on external B215
hydraulic, fluid flow ripple in B247
jerk D162, D163
jet A90
positive displacement B211
pressure effects B250
prototype-model correlation B251
quiet vane design and development B247
speed effects B250
vane tip effects B249
water injection A158
see also Boiler feed pump suction systems
Purchasing specifications B41
administrative and control procedures B43
completion B44
design aspects B43
format of B41
general requirements B42
inspection and test B44
notes to tenderers B44
preparation of B41
production model B44
prototypes B44
social and safety section B43
technical requirements B44

Quality assurance A11, B153, B157, B158
in project launching B135
Quality circles B158
Quality control B153, B161
Quality function B156, B158
Quality management A11, A12, B153
Quality manager B157, B158
Quality objectives B154
Quality organization B156
Quality planning B154
Quality policy B155
Quality procedures B155
Quality-related cost collection B29, B279

Racing cars, *Thrust 2*. *See Thrust 2* racing car
Radioactive waste management A129
Railbus, class 141 D7
Railway track
dynamic response of D123
with unsupported sleepers D123
developments over 30 years D1
electric braking of multiple-unit trains D309
light D324
metropolitan developments D317
predicitions for 1984 D11
see also Axles; locomotives; London Underground; Seoul Metropolitan Subway Corporation
Random loads, fatigue design for C249
Rapid train system, X2 multiple unit D92
Real-time control
learning scheme B274
software B272
Reference fitting B94
Reliability performance, as contractural requirements D89
Remanent life assessment testing B121
Remote handling equipment A130
Remote maintenance vehicle (RMV) A163
Renewable heat and electricity (RHE) system A193
advantages of A200
computer simulations A196
flow chart A196
meteorological regimes A199
parameters A194
renewable regimes A194
selection criteria A201
simulation analysis A198
solar energy module A196
thermal storage module A197
wind energy module A197
working patterns A196
Residual stresses, cold-forming C270
Resources, changes in B108
Revolute joints
clearances at C153
contact loss at C173
Risk, flexible manufacturing systems B25
Road surface effects on tyre noise D201
Robots
applications B36
basic statistical parameters B36
economic parameters range B39
investment modelling B37
job losses resulting B37
market growth B35
population forecast B35
state of art B35
unit labour costs B37
Rolling resistance of surface films C51
Rotor blades, helicopter D33
Rotor controls, helicopter D35
Rotor dynamics, superconducting generators B255
Rotor hubs, helicopter D34
Rotor system dynamics, helicopter D36
Rotors
flexible, balancing head location C19
Savonius. *See* Savonius
Rough terrain construction site vehicle (RTCSV) D79
assembly and testing D86
braking D83
commissioning D87
design decisions D80
driver's cab D86
engine and auxiliaries D85
lifting units D84
mechanical design D82
problems and solutions D87
specification D79
steering D83, D87
structural design D81
suspension D87

Safety valves, British Standards development A107
Sampling of engineering components for mechanical testing B121
Savonius rotor blade configuration optimization and performance characteristics A185
experimental apparatus A187
experimental method A188
experimental results A188
power and performance coefficient curves A189
simple form A185
theory A186

Scavenging in two-stroke engine A3
Sea Gem drilling rig A156, A159
Seals
polytetrafluoroethylene (PTFE) D117
rotary mechanical A17
behaviour mechanisms A23
experimental studies A25
face compatibility A27
face waviness A23
interface lubrication A26
leakage distribution A21
life distribution A20
literature summary A28, A29
operating conditions A17
performance A19, A20, A21
power dissipation A26, A27
pressure histograms A17
PV values A27
research tasks A23
standards A21
steady state theoretical analyses A24
structural deflections A23
temperature range A18
tribological background A23
vibration effects A27
wear A27
Seat belts, child restraints D49
Seoul Metropolitan Subway Corporation D175, D312, D313
auxiliary equipment D183
braking equipment D182
combined testing D184
equipment layout D178
in-service running D185
propulsion equipment D180
route network D175
signalling system D178
subway system D175
summary of technical data D185
train performance D179
vehicles D176
Servo driven pneumatic modules, front end control scheme B271
Shafts, modal balancing C71
Shale oil
production A76
reserves A75
retrieval A76

© IMechE 1985

Shells
cylindrical, interactive buckling C259
torispherical, Drucker–Shield limit pressures C232
torispherical, failure, by plastic buckling or axisymmetric yielding C225
Ship propulsion plants, linear modelling A53
Shipborne trade trends A78
Signal processing technique, gear defects C287
Silicon carbide, high temperature creep properties A141
Silicon nitride, high temperature creep properties A141
Sinter plant A97
Sleepers. *See* Railway track
Sliding of iron–chromium alloys C35
Smoke emission and fuel-injection equipment D170
Social implications, for manufacturing industry B47
Society, divisions in B47
Solar collector system A196
Solar energy
in industry A194
see also Renewable heat and electricity
Solar thermal collector C145
Sound pressure in tyre tread grooves D203
Space Shuttle Orbiter D13
actuation D17
ceramic tiles D24
design and development D15
external tank close-out doors D20
flight test programme D26
landing–deceleration system D21
mechanical systems design D17
mission description D13
payload bay doors D17
radiators D23
star tracker doors D24
structural design D15
system description D13
thermal protection D24
tile design/installation/development D26
tile installation configuration D26
vent doors D23
Space transportation systems (STS) D13
Spark plug ionization (SPI) sensor D301
Specifications
general B132
purchasing. *See* Purchasing specifications
technical B132
Specimen preparation and testing B123
Spline functions, in cam design C239
Splines
B C246
cubic C241
higher order C246
quintic C241
Squeeze casting process A145
Stability criteria of horizontal fluid layer C145
Stadive surface vessel A164
Starter motors, clutch sleeve extrusion B219
Statistical quality control B153
Steam plant, marine operating costs A81
Steam-tube combined cycles A45
Steam turbine cycle off-design A33
compatible values of π_k A42
controlled passout A41
definitions A34
free passout A40
heat balance A34
heat balances and cumulative flows A35
performance estimation A33, A134
steam ellipse A37
throttle flow and inter-extraction stage group steam flow A37
transferred passout A40
with reheat A42
zero passout A39
Steam turbine disc cracking A59
characteristics and location of A59
crack growth tests A63
crack initiation tests A64
environment effects A66
identification of potential key variables A63
low pressure A59
materials effects A65
new systems A67
recommendations A67
stress effects A65
summary of results A64
Steering
RTCSV D83, D87
Thrust 3 D256
Stirling cycle free-piston engines A203
higher degree of freedom systems A209
linear model A203
root loci A206
thermodynamics A208
Stitch drilling and bursting A127
Strain gauges, branch pipe intersection analysis A264
Stress analysis B148
pipe intersections A261
Stress corrosion cracking (SCC), steam turbine disc A59
Stress rupture testing, specimens for B123
Structural dynamics modification (SDM) technique C21
Suction effect on fluid stability C145
Suction lines
tests on B212
wave propagation in B212
Sulphuric acid plant A97, A98
Superconducting generator. *See* Generators
Surface films, rolling resistanc of C51
Surface finish profiles, assessment of B263
Surface parameters, r.m.s. value per millimetre C284
Surface roughness
elastic contact and wear reduction C139
Fourier spectral estimates of C281
Surface texture, multi-process B263
Surface texture parameter C283
Suspensions
ambulance stretcher D151
RTCSV D82, D87
Thrust 2 D255
Swedish State Railways (SJ) D89
Swiss Federal Railways D321
Swivel effects on equiangular diffusers C293
Synthetic crude oil A75

Tankers, road, aerodynamic and rolling resistances of D237
Telephone transmitter/receiver capsule, design and manufacture B189
Temperature measurement, combustion chamber wall D207
Tender, forms of B133
Tender/contract documents B41
Tender evaluation B134
Tenderers
instructions to B134
notes for B44
Tension leg platform (TLP) A166
Thermic lances A127
Thermo-electric interaction in resistance spot welding B72
Thermoplastics, ball bearing raceways C339
Thick walled components, sampling methods B121
Thin walled components, sampling methods B121
Thor crane barge A155
Thrust 2 racing car project D239
aerodynamics D251
angle of attack D254
basic requirements D240
brakes D259
chassis structure D246
cockpit D252
configuration of D243
control D251
crash test D261
crashworthiness D261
dampers D256
design considerations D241
drag chutes D260
engine details D243
engine mounting D248
fire extinguishers D261
fuel system D244
hubs D259
Mach number D254
monitoring D254
performance D254
results D262
safety D261
specification D264
springs D256
stability D250
start system D245
steering D256
suspension D255
track selection D240

© IMechE 1985

weight distribution D251
wheels D258
Thyristor chopper control of motors D180
Tokamak research A256
Training
as postgraduate activity in employment B139
continuing, *see also* Updating of engineers
external B11
external graduate B12
general skill B143
graduate engineer B11
increasing individual and group effectiveness B14
industrial student B10
in-plant B10
in-plant graduate B12
management B13
practical B140
professional engineer development B12
proposals for B9
review of needs B1
specific skill B143
undergraduate B11
see also Education
Transfer-function models A56
Transmissions
compound D275
mechanical D275
new truck concept D275
RTCSV D82
twin splitter D275
driver effort D280
ease of driving D278
field tests D281
future trends D282
performance D280
physical data D279
preselect mechanism D277
preselect mechanism tests D281
Transworld 58 production platform A160
Trepanning machine tool A1
Tritium, fusion reaction A255
Trucks
cab C44 shell design B197
new transmission concept D275
Turbine work function D139, D143
Turbocharger simulation, high b.m.e.p. A290
Turbochargers
ceramic materials A141
residual fuel oil deposits A181
Turbocharging, manifold efficiency D137
Turbulence
and convective heat transfer coefficient D223
combustion generated D225
in reciprocating engines D222
Turning
cutting conditions for finishing B87, B88
cutting conditions for roughing B82, B89
optimum cutting conditions calculation B81
Tyne and Wear Metro D312
Tyre noise measuring methods D199
Tyre noise reduction, possibilities D199
Tyre/road noise sources D199

UKAEA decommissioning development programme A123, A129
Ultrasonic testing, hollow axles D273
Underwater manifold centre (UMC) A163
Updating of engineers B169
academic qualifications B172
action by employers B171
certification, validation and continued registration B172
funding B173
identification of needs for B169
individual viewpoint B171
national scene B171
nature of B170
range of possible topics B170

Valve seats, Ford diesel engine D117
Valve trains, Ford diesel engine D115
Valves
exhaust, residual fuel oil operation A181
inlet, residual fuel oil operation A181
safety, British Standards development A107
Vibrating bodies, acoustic emission prediction C133
Vibrating systems, parameter estimation in non-linear C79
Vibration
flexural, superconducting generator rotors B257
gears C195
harmonic, of five-layer plates C311
radial ball bearings C181
rotary mechanical seals A27
torsional, measurement of D298
torsional, superconducting generator rotors B258
tyres D199
Vibration analysis
gear failure detection C287
superconducting generator rotor for B256
Vibration isolation, ambulance stretchers D151
Vibration measurements
diesel engines D295
engineering components B161
Vibration spectra for epicyclic gearboxes C65
Viscous damping, in non-linear vibrating systems C79
Voltage potential field in weldments B73

Waste heat recovery A81
Waste-to-energy plants, operational performance A117
Wastes, fuel potential A117
Water jet cutting A127
Water vapour, self diffusion of C159
Water wheel irrigation machine A1
Wave propagation
in hydraulic lines B211
in suction lines B212
Wear
ceramics C139
piston ring groove A179
rotary mechanical seals A27
Wear-protective oxides C35
Wear reduction of rough surfaces C139
Weibull indices A19
Welded joints, spot, impact tests on C127
Welding
electron beam B126
resistance spot, dynamic resistance model B71
West Sole gas field A153, A176
Westland Helicopters, Milton Keynes alternative B205
Winches, RTCSV D84
Wind energy conversion systems (WECS) A194, A197
see also Renewable heat and electricity
Wind turbines, one-bladed A237
Windscale advanced gas-cooled reactor (WAGR) decommissioning project A123, A129
Workforce attitudes and motivation B209
Woven fabrics
industrial applications B67
mechanical properties B67
Wylfa nuclear power station A7

Yarn extension, geometry of B67
Yielding of torispherical shells C225

Zinc plate casting machine A101
Zinc smelter economic survival A95
Zirconia insulated engine A142
Zirconia sprayed components A143

© IMechE 1985